

Hopp L: Talk to Me About Evidence-based Practice!, 17(3):250

J

Jacobi J *See* Powers J

Jacobson C: Tools for Teaching Arrhythmias: Wide QRS Beats and Rhythms, 17(3):353

Jacobson C: Tools for Teaching Arrhythmias: Wide QRS Beats and Rhythms—Part I; P Waves, Fusion, and Capture Beats, 17(4):462

Jacobson C: Tools for Teaching Arrhythmias, 17(2):230

Johnson KL, Renn C: The Hypothalamic-Pituitary-Adrenal Axis in Critical Illness, 17(1):39

K

Kleinpell RM, Graves BT, Ackerman MH: Incidence, Pathogenesis, and Management of Sepsis: An Overview, 17(4):385

L

Larison K *See* Dixon JF

M

Makic MBF *See* Holden M

Massey HT *See* Shannon D

Mick DJ *See* Ackerman MH

Morton PG *See* Dorsey SG

N

Ninni S *See* Reilly L

O

O'Connor CA *See* Dakin CL

P

Palmer S *See* Bader MK

Paniagua-Ramirez CT *See* Barone CP

Papathanassoglou EDE, Giannakopoulou MD, Bozas E: Genomic Variations and Susceptibility to Sepsis, 17(4):394

Parbhoo SK *See* Gearhart MM

Patsdaughter CA *See* Dakin CL

Posa PJ, Harrison D, Vollman KM: Elimination of Central Line-associated Bloodstream Infections: Application of the Evidence, 17(4):446

Powers J, Jacobi J: Pharmacologic Treatment Related to Severe Sepsis, 17(4):423

R

Rauen JA, Rauen CA: A Patient's Bold Voice: A Journey Through Cardiac Surgery, 17(2):133

Rauen CA *See* Rauen JA

Reilly L, Sullivan P, Ninni S, Fochesto D, Williams K, Fetherman B: Reducing Foley Catheter Device Days in the Intensive Care Unit: Using the Evidence to Change Practice, 17(3):272

Renn C *See* Johnson KL

Rose L: Advanced Modes of Mechanical Ventilation: Implications for Practice, 17(2):145

Rushton CH: Donation After Cardiac Death: Ethical Implications and Implementation Strategies, 17(3):345

Rushton CH: Defining and Addressing Moral Distress: Tools for Critical Care Nursing Leaders, 17(2):161

S

Selig PM: Metabolic Syndrome in the Acute Care Setting, 17(1):79

Shannon D, Hallinan W, Massey HT, Ackerman MH: Mechanical Circulatory Assist Devices, 17(4):368

Sullivan P *See* Reilly L

T

Thornby D: Beginning the Journey to Skilled Communication, 17(3):266

Trimarchi T: Endocrine Problems in Critically Ill Children: An Overview, 17(1):66

V

Vollman KM *See* Posa PJ

W

Williams K *See* Reilly L

Z

Zabari M *See* Dixon JF

2006 Subject Index

A

Aberrant conduction, (3):353

Accessory pathway conduction, (3):353

Advanced practice nursing

clinical nurse specialist's role, (4):373

coding and reimbursement, (2):116

evidence-based practice, (3):250

Airway pressure release ventilation (APRV), (2):145

American Association of Critical Care Nurses, AACN Standards for Establishing and Sustaining Healthy Work Environments: A Journey to Excellence, (2):119

Antibiotic therapy, in sepsis, (4):423

Aortic valve replacement, patient's perspective, (2):133

Apoptosis, genomic variations and susceptibility to sepsis, (4):394

Arrhythmias

dofetilide therapy, (2):102

ECG challenges, ladder diagram, (2):230

wide QRS beats and rhythms, (3):353

waves, fusion, and capture beats, (4):462

Artificial heart, (4):368

Asthma, acute severe, mechanical ventilation, (2):186

Atracurium (Tracrium), (3):239

Atrial fibrillation/flutter, dofetilide therapy, (2):102

Atrioventricular dissociation, (4):462

Auto-PEEP, in acute severe asthma, (2):186

Autoregulation, in critically ill neuroscience patient, (3):327

B

Base deficit, resuscitation endpoint, (3):306

Bedside researchers, (3):253

Biphasic positive airway pressure (BIPAP) ventilation, (2):145

Blood pressure, monitoring, for sepsis, (2):215

Blood pumps, (4):368

Bloodstream infection, central line-associated, (4):446

Book reviews

Burns, S.: *AACN Protocols for Practice: Noninvasive Monitoring*, 2nd ed., (2):224

Burns, S. (ed.): *AACN Protocols for Practice: Care of Mechanically Ventilated Patients*, 2nd ed., (4):460

Brain injury. See Critically ill neuroscience patient

C

Capture beats, ECG challenge, (4):462

Cardiac arrest, postresuscitation care, (2):125

Cardiac death, organ donation after, (3):345

Cardiac surgery, patient's perspective, (2):133

Catheters/catheterization

indwelling urinary catheters, (3):272

pulmonary artery pressure monitoring, (3):286

Central line-associated bloodstream infections, prevention, (4):446

Cerebral blood flow, in critically ill neuroscience patient, (3):327

Cerebral hypoxia, in critically ill neuroscience patient, (3):327

Cerebral perfusion pressure, in critically ill neuroscience patient, (3):327

Change process models, moral distress, (2):161

Circus movement tachycardia, (3):353

Cisatracurium (Nimbex), (3):239

Clinical nurse specialist, (4):373

Clinician researchers, (3):253

Closed-loop ventilation, (2):145

Coagulation/fibrinolysis pathways, genomic variations and susceptibility to sepsis, (4):394

Coding, (2):116

Collaboration, healthy work environment, (2):119

Communication

healthy work environment, (2):119

skilled

beginning the journey, (3):266

making it work, (4):376

Complex systems theory, genomic variations and susceptibility to sepsis, (4):394

Conflict, skilled communication, (3):266

Congestive heart failure, evidence-based nursing care, (2):170

Continuing education

advanced modes of mechanical ventilation, (2):145

central line-associated bloodstream infections, (4):446

evidence-based heart failure nursing care, (2):170

pharmacologic treatment in severe sepsis, (4):423

pulmonary artery pressure monitoring, (3):286

sustained neuromuscular blockade, (3):239

update of dofetilide (Tikosyn) therapy, (2):102

Corticosteroids, in sepsis, (4):423

Critical care nursing

continuous physiologic monitoring for sepsis, (2):215

Foley catheter use, (3):272

moral distress, (2):161

Critically ill neuroscience patient, hemodynamic monitoring, (3):327

Crucial conversations, skilled communication, (3):266

Culture of silence, (3):266

Cytokines, genomic variations and susceptibility to sepsis, (4):394

D

Decision-making, healthy work environment, (2):119

Dofetilide (Tikosyn), (2):102

Doppler technique, hemodynamic monitoring in sepsis, (4):435

Drotrecogin alpha activated (Xigris), in sepsis, (4):423

Drug interactions, sustained neuromuscular blockade, (3):239

Drug update

dofetilide (Tikosyn) therapy, (2):102

recombinant factor VIIa in neuroscience, (4):364

sustained neuromuscular blockade, (3):239

Dynamic hyperinflation, in acute severe asthma, (2):186

E

Economic issues, coding and reimbursement, (2):116

Education, arrhythmias

ladder diagram, (2):230

wide QRS beats and rhythms, (3):353, (4):462

Electrocardiography, arrhythmias

ladder diagram, (2):230

wide QRS beats and rhythms, (3):353

waves, fusion, and capture beats, (4):462

Enteral feeding tube, placement, verification, (3):246

Ethical issues

moral distress, (2):161

organ donation after cardiac death, (3):345

Evidence-based practice, (3):250

central line-associated bloodstream infections,

prevention, (4):446

clinically induced hypothermia, (2):125

continuous physiologic monitoring for sepsis, (2):215

Foley catheter use, (3):272

heart failure, (2):170

hyperacute stroke, (2):194

research, quality improvement and, (4):457

sepsis management, 385

ventilation in acute severe asthma, (2):186

F

Factor V, genomic variations and susceptibility to sepsis, (4):394

Feeding tube, placement, verification, (3):246

Fluid resuscitation, in sepsis, (4):435

Functional hemodynamics, pulmonary artery pressure monitoring, (3):286

Fusion, ECG challenge, (4):462

G

Gastric tonometry, resuscitation endpoints, (3):306

Genetics, genomic variations and susceptibility to sepsis, (4):394

H

Healthy workplace

AACN standards, (2):119

communication, (3):266

skilled communication, making it real, (4):376

Heart failure

evidence-based nursing care, (2):170

mechanical circulatory assist devices, (4):368

Heart rate, monitoring, for sepsis, (2):215

Heat shock proteins, genomic variations and susceptibility to sepsis, (4):394

Hemodynamic monitoring

critically ill neuroscience patient, (3):327

endpoints of resuscitation, (3):306

pulmonary artery pressure monitoring, (3):286

in sepsis, (4):435

traumatic shock, (3):317

Hospital-acquired infections, central line-associated bloodstream infections, (4):446

Hyperacute stroke, recombinant tissue plasminogen activator (rtPA) in, (2):194

Hypertension, in critically ill neuroscience patient, (3):327

Hypothermia, clinically induced, (2):125

Hypovolemia, in traumatic shock, (3):317

I

Infection

central line-associated bloodstream infections, (4):446

urinary tract, catheter-associated, (3):272

Inotropic agents, in sepsis, (4):423

Insulin therapy, in sepsis, (4):423

Interleukin(s), genomic variations and susceptibility to sepsis, (4):394

Intracerebral hemorrhage, recombinant factor VIIa in, (4):363

Intracranial pressure, in critically ill neuroscience patient, (3):327

Ischemic stroke

recombinant factor VIIa in, (4):363

recombinant tissue plasminogen activator (rtPA) in, (2):194

L

Lactate, blood levels

resuscitation endpoint, (3):306

in sepsis, (4):435

Ladder diagram, tools for teaching arrhythmias, (2):230

M

Mannose-binding lectin, genomic variations and susceptibility to sepsis, (4):394

Mechanical circulatory assist devices, (4):368

Mechanical ventilation

in acute severe asthma, (2):186

advanced modes, (2):145

Monitoring

continuous physiologic monitoring for sepsis, (2):215

hemodynamic. *See* Hemodynamic monitoring

Moral distress, (2):161

N

Neurologic outcome, clinically induced hypothermia, (2):125

Neuromuscular blockade, sustained, (3):239

Neuronal injury, secondary, prevention, (3):327

Nursing care, evidence-based. *See* Evidence-based practice

Nursing leadership, moral distress, (2):161

Nursing research. *See* Research

O

Organ donation, after cardiac death, (3):345

Oxygen delivery/consumption, resuscitation endpoint, (3):306

P

Pancuronium (Pavulon), (3):239

Patient's perspective, aortic valve replacement, (2):133

Pediatric population, mechanical circulatory assist devices, (4):368

Performance improvement, central line-associated bloodstream infections, (4):446

Performance measures, evidence-based heart failure nursing care, (2):170

Perfusion, endpoints of resuscitation, (3):306

Pharmacology, in sepsis, (4):423

Physiologic monitoring, continuous, for sepsis, (2):215

Polymorphisms, sepsis-susceptibility, (4):394

Pulmonary artery pressure, monitoring, (3):286

P waves, ECG challenge, (4):462

Q

QRS complex, wide QRS beats and rhythms, (3):353

waves, fusion, and capture beats, (4):462

Quality improvement

evidence-based heart failure nursing care, (2):170

research, evidence-based practice and, (4):457

R

Recombinant factor VIIa (NovoSeven), in neuroscience, (4):363

Recombinant tissue plasminogen activator (rtPA), in hyperacute stroke, (2):194

Research

clinically relevant questions, (3):253

evidence-based practice, quality improvement and, (4):457

generating interest in nursing research, (2):226

sample size estimation, (3):341

Respiratory rate, monitoring, for sepsis, (2):215

Resuscitation, traumatic shock, (3):317

Resuscitation endpoints, (3):306

S

Sepsis

central line-associated bloodstream infections, (4):446

continuous physiologic monitoring, (2):215

- genomic variations and susceptibility to, (4):394
 - hemodynamic monitoring, (4):435
 - incidence, pathogenesis, and management, (4):385
 - severe, pharmacologic treatment, (4):423
 - Shivering, clinically induced hypothermia, (2):125**
 - Shock**
 - resuscitation endpoints, (3):306
 - septic, (4):423
 - traumatic, (3):317
 - Skilled communication**
 - beginning the journey, (3):266
 - making it real, (4):376
 - Spectroscopy, near-infrared, resuscitation endpoints, (3):306**
 - Spinal cord injury. See Critically ill neuroscience patient**
 - Staffing, healthy work environment, (2):119**
 - Stress hormones, genomic variations and susceptibility to sepsis, (4):394**
 - Stroke**
 - hyperacute, recombinant tissue plasminogen activator (rtPA) in, (2):194
 - recombinant factor VIIa in, (4):363
 - Stroke index, in sepsis, (4):435**
 - Sublingual capnometry, resuscitation endpoints, (3):306**
- T**
- Technology**
 - enteral feeding tube placement, verification, (3):246
 - mechanical circulatory assist devices, (4):368
 - technology assessment primer, (2):111

- Temperature, monitoring, for sepsis, (2):215**
- Tissue oxygenation, endpoints of resuscitation, (3):306**
- Toll-like receptors, genomic variations and susceptibility to sepsis, (4):394**
- Transplantation, organ donation after cardiac death, (3):345**
- Traumatic shock, resuscitation, (3):317**
- Tumor necrosis factor(s), genomic variations and susceptibility to sepsis, (4):394**

U

- Urinary catheters, Foley catheter use, (3):272**
- Urinary tract infection, catheter-associated, (3):272**

V

- Valve replacement, patient's perspective, (2):133**
- Vasopressors, in sepsis, (4):423**
- Vasospasm, cerebral, in critically ill neuroscience patient, (3):327**
- Venous oxygen saturation, mixed, resuscitation endpoint, (3):306**
- Venous oxyhemoglobin, mixed, in sepsis, (4):435**
- Ventilation, assisted. See Mechanical ventilation**
- Ventricular assist devices, (4):368**
- Vercuronium (Norcuron), (3):239**

W

- Weaning, mechanical ventilation, (2):145**
- Wolff-Parkinson-White syndrome, (3):353**

STATEMENT OF OWNERSHIP, MANAGEMENT, AND CIRCULATION (Act of August 12, 1970; Section 3685; Title 39 United States Code) Date of Filing—October 1, 2006. Title of Publication—AACN: *Advanced Critical Care*; Frequency of Issue—Quarterly; Annual Subscription Price—\$85.00; Location of Known Office of Publication—Lippincott Williams & Wilkins, Inc., 16522 Hunters Green Parkway, Hagerstown, MD 21740-2116; Location of the Headquarters or General Business Offices of the Publisher—Lippincott Williams & Wilkins, Inc., 530 Walnut Street, Philadelphia, PA 19106; Publisher—Lippincott Williams & Wilkins, Inc., 530 Walnut Street, Philadelphia, PA 19106; Editor—Marianne Chulay, RN, DNSc, FAAN, 505 N. Boundary St., Chapel Hill, NC 27514. Managing Editor—Randi Davis, Lippincott Williams & Wilkins, 530 Walnut Street, Philadelphia, PA 19106; Owner—American Association of Critical-Care Nurses, 101 Columbia, Aliso Viejo, CA 92656; Known Bond Holders, Mortgagees, and other security holders owning or holding 1 percent or more of the total amount of bonds, mortgages, or other securities—None. A. Total no. of copies printed (net press run), average 2,425, actual 2,300. B. Paid and/or requested circulation 1. Paid/requested outside-county mail subscriptions stated on form 3541, average 1,332, actual 1,366; 2. Paid in-county subscriptions, none; 3. Sales through dealers and carriers, street vendors, counter sales, and other non-USPS paid distribution, average 74, actual 80; 4. Other classes mailed through the USPS, none. C. Total paid and/or requested circulation [sum of B (1), (2), (3), and (4)], average 1,406, actual 1,446. D. Free distribution by mail (samples, complimentary, and other free). Outside-county as stated on form 3541, average 54, actual 265; 2. In-county as stated on form 3541, none; 3. Other classes mailed through the USPS, none. E. Free distribution outside the mail (carriers or other means), average 2, actual 12. F. Total free distribution (sum of D and E), average 56, actual 277. G. Total distribution (sum of C and F), average 1,462, actual 1,723. H. Copies not distributed, average 963, actual 577. I. Total (sum of G and H), average 2,425, actual 2,300. Percent paid and/or requested circulation, average 96.17%, actual 83.92%. I certify that the statements made by me above are correct and complete. *Jeffrey Brown, Manager, Periodicals Operations.*

e

i,

t,

;

/

of

;

..

t,

C

;

d

of

u-

m

s,

es

er-

as

ed

F.

ge

5,

e-